

### Type N Male for CNT-300 braided cable

#### **Product Classification**

Product Type Braided cable connector

Product Brand CNT®

General Specifications

**Body Style** Straight

Inner Contact Attachment Method Captivated

Inner Contact Plating Gold

**Interface** N Male

Outer Contact Attachment Method Clamp

Outer Contact Plating Trimetal

Dimensions

**Width** 20.25 mm | 0.797 in


**Length** 37.6 mm | 1.48 in

**Diameter** 20.25 mm | 0.797 in

Nominal Size 0.300 in

Outline Drawing





### **Electrical Specifications**

•	
Insertion Loss, typical	0.05 dB
Cable Impedance	50 ohm
Connector Impedance	50 ohm
dc Test Voltage	2000 V
Inner Contact Resistance, maximum	1 m0hm
Insulation Resistance, minimum	5000 MOhm
Operating Frequency Band	0 – 6000 MHz
Outer Contact Resistance, maximum	0.25 m0hm
Peak Power, maximum	10 kW
RF Operating Voltage, maximum (vrms)	707 V

### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-960 MHz	1.04	34.16
960-1000 MHz	1.04	34.16
1000-2000 MHz	1.05	32.26
2000-6000 MHz	1.12	24.95

Mechanical Specifications



**Connector Retention Tensile Force** 220 N | 49.458 lbf

**Connector Retention Torque** 0.45 N-m | 3.983 in lb

Coupling Nut Proof Torque 1.7 N-m | 15.046 in lb

**Coupling Nut Proof Torque Method** IEC 61169-16:9.3.6

**Coupling Nut Retention Force** 450 N | 101.164 lbf

**Coupling Nut Retention Force Method**IEC 61169-16:9.3.11

Interface Durability 500 cycles

**Interface Durability Method** IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

**Operating Temperature**  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$   $(-40 \,^{\circ}\text{F to} +185 \,^{\circ}\text{F})$ 

Storage Temperature -65 °C to +125 °C (-85 °F to +257 °F)

**Attenuation, Ambient Temperature** 20 °C | 68 °F

Average Power, Ambient Temperature 40 °C | 104 °F

**Average Power, Inner Conductor Temperature** 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

**Immersion Test Method** IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Weight, net** 43.59 g | 0.096 lb

### Regulatory Compliance/Certifications

#### Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

**COMMSCOPE®** 

ROHS Compliant

UK-ROHS Compliant/Exempted



\* Footnotes

**Insertion Loss, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

