

Type N Male for CNT-300 braided cable

Product Classification

Product Type Braided cable connector

Product Brand CNT®

General Specifications

Body Style Straight

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface N Male

Outer Contact Attachment Method Clamp

Outer Contact Plating Trimetal

Dimensions

 Width
 20.25 mm | 0.797 in


 Length
 37.6 mm | 1.48 in

Diameter 20.25 mm | 0.797 in

Nominal Size 0.300 in

Outline Drawing





Electrical Specifications

Insertion Loss, typical 0.05 dB **Cable Impedance** 50 ohm **Connector Impedance** 50 ohm 2000 V dc Test Voltage Inner Contact Resistance, maximum 1 m0hm Insulation Resistance, minimum 5000 MOhm 0 - 6000 MHz **Operating Frequency Band Outer Contact Resistance, maximum** 0.25 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-960 MHz	1.04	34.16
960-1000 MHz	1.04	34.16
1000-2000 MHz	1.05	32.26
2000-6000 MHz	1.12	24.95

Mechanical Specifications



Connector Retention Tensile Force 220 N | 49.458 lbf

Connector Retention Torque 0.45 N-m | 3.983 in lb

Coupling Nut Proof Torque 1.7 N-m | 15.046 in lb

Coupling Nut Proof Torque Method IEC 61169-16:9.3.6

Coupling Nut Retention Force 450 N | 101.164 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ $(-40 \,^{\circ}\text{F to} +185 \,^{\circ}\text{F})$

Storage Temperature $-65 \,^{\circ}\text{C} \text{ to } +125 \,^{\circ}\text{C} \left(-85 \,^{\circ}\text{F to } +257 \,^{\circ}\text{F}\right)$

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 °C | 104 °F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

Weight, net 43.59 g | 0.096 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

COMMSCOPE®

ROHS Compliant

UK-ROHS Compliant/Exempted



* Footnotes

Insertion Loss, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

