

4.3-10 Male Push Pull for 1/2 in LDF4-50A cable.

#### **Product Classification**

**Product Type**Wireless and radiating connector

Product Brand HELIAX®

Product Series LDF4-50A

Ordering Note CommScope® standard product (Global)

### General Specifications

Body Style Straight

Cable Family LDF4-50A

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface4.3-10 MaleMounting AngleStraightOuter Contact Attachment MethodClampOuter Contact PlatingTrimetal

#### **Dimensions**


 Length
 73.15 mm | 2.88 in

 Diameter
 24.89 mm | 0.98 in

Nominal Size 1/2 in



#### Outline Drawing



#### **Electrical Specifications**

**3rd Order IMD at Frequency** -116 dBm @ 910 MHz

**3rd Order IMD Dynamic Test Method** Two +43 dBm carriers

**Insertion Loss Coefficient, typical** 0.05

Average Power at Frequency 600.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohm

dc Test Voltage 2500 V
Inner Contact Resistance, maximum 1 mOhm

**Insulation Resistance, minimum** 5000 MOhm

**Operating Frequency Band** 0 - 8800 MHz

Outer Contact Resistance, maximum1 m0hmPeak Power, maximum22.5 kW

RF Operating Voltage, maximum (vrms) 884 V

Shielding Effectiveness -110 dB

VSWR/Return Loss



Frequency Band	VSWR	Return Loss (dB)
45-1000 MHz	1.02	40.09
1000-2700 MHz	1.025	38.17
2700-3800 MHz	1.065	30.04
3800-6000 MHz	1.106	25.96

#### Mechanical Specifications

Attachment Durability 5 cycles

**Connector Retention Tensile Force** 889.64 N | 200 lbf

**Connector Retention Torque** 5.42 N-m | 47.998 in lb

**Interface Durability** 25 cycles

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

Operating Temperature-55 °C to +85 °C (-67 °F to +185 °F)Storage Temperature-55 °C to +85 °C (-67 °F to +185 °F)

**Corrosion Test Method** IEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

**Weight, net** 122.9 g | 0.271 lb

#### Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance



ROHS UK-ROHS Compliant Compliant



\* Footnotes

**Insertion Loss Coefficient, typical** 0.05√-freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

