

## Wall-Mount Bracket for 12 coaxial cable runs

## Product Classification

Product Type Mounting bracket

## General Specifications

Cable Runs, quantity	12
Hole, quantity	12
Mounting	Walls
Dimensions	
Height	101.6 mm   4 in
Width	50.8 mm   2 in

Length 812.8 mm | 32 in

3/4 in


**Hole Size** 

Page 1 of 3

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: October 25, 2023



## Outline Drawing



### Material Specifications

Material Type

Hot dip galvanized steel

### Mechanical Specifications

Wind Rating

For Specifications, please contact steelproducts@commscope.com or call 800-255-1479

## Packaging and Weights

Included	Brackets
Packaging quantity	1
Weight, net	2.8 kg   6.173 lb

## Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Page 2 of 3

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: October 25, 2023



# MT-F1588

## \* Footnotes

Wind Rating

BWS–Base Wind Speed; FBC–Florida Building Code

Page 3 of 3

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: October 25, 2023

