## Self-locking Hanger for 1/2 in RXL4 RADIAX® Radiating cable

Product Classification	
Product Type	Hanger kit
General Specifications	
Cables per Hanger	1
Color	Black
Hanger Type	Self locking hanger
Dimensions	
Maximum Stack Height	2
Height	35.3 mm   1.39 in
Width	19.6 mm   0.772 in
Length	22.6 mm   0.89 in
Compatible Diameter, maximum	19.5 mm   0.768 in
Compatible Diameter, minimum	16.8 mm   0.661 in
Nominal Size	1/2 in
Material Specifications	
Material Type	Polyamide PA12
Mechanical Specifications	
Maximum Load	650 N   146.126 lbf
Environmental Specifications	
Operating Temperature	-40 °C to +80 °C (-40 °F to +176 °F)
Flammability Test Method	UL 94-HB
Toxicity Index Test Method	IEC 60754-2
UV Resistance, minimum with no degradation	$\ge$ 500 hours exposure in accelerated UV life chamber
Packaging and Weights	
Height, packed	16.5 cm   6.496 in

Page 1 of 2

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: May 2, 2024

COMMSCOPE®

## 209800-17B

Width, packed	11 cm   4.331 in
Length, packed	19 cm   7.48 in
Packaging quantity	100
Weight, gross	0.7 kg   1.543 lb

## Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant



## \* Footnotes

Maximum Stack Height Fiber, Hybrid, Power

Page 2 of 2

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: May 2, 2024

