## ICX7150-C12P | RUCKUS ICX 7150-C12P



### Entry-Level Access Compact 12 Ports 1G PoE Switch

#### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North America

Yes

Product Type Ethernet switch

Product Brand RUCKUS®

## General Specifications

OpenFlow with Hybrid Port Mode

Switching Capacity, maximum 68 Gb/s

1 GbE RJ45 Ports, quantity, maximum 12 + 2

1 GbE SFP Ports, quantity, maximum 2

**10 GbE SFP+ Ports, quantity, maximum** 2

PoE Power Budget, maximum 124 W

Switches per Stack, maximum 12

Aggregate Stack Bandwidth, maximum 240 Gb/s

PoE/PoE+ Yes
Stacking Yes

**sFlow** Yes

**Layer 3 (STATIC, RIP, OSPF)** Yes

Campus Fabric Technology Yes

Redundant Power Option No

Hot Swap Internal Power Supplies & Fans No

802.3bt2 (90 W PoE Power per Port) No

**VRF** No

EEE (Energy Efficient Ethernet) No

IPsec VPN, with service module No

**MACsec** No

**BGP** No



Page 1 of 2

# ICX7150-C12P | RUCKUS ICX 7150-C12P

Reversible Airflow Option	No
VxLAN	No
Multi Chassis Trunking (MCT)	No

