760088005 | RFE-MOD-012-5K-MPO-LC02-KRD



Product Classification

ReadyPATCH® Multimode OM4 Keyed Module, 12 LC ports, red

• Part of the Uniprise® ReadyPATCH® Pre-terminated Fiber line

| Regional Availability | North America |
|------------------------------|--------------------------|
| Portfolio | CommScope® |
| Product Type | Fiber module |
| Product Brand | LazrSPEED® ReadyPATCH® |
| General Specifications | |
| Functionality | Breakout |
| Adapters, quantity, front | 6 |
| Adapters, quantity, rear | 1 |
| Color, front | Red |
| Color, rear | Gray |
| Interface, front | LC/UPC |
| Interface Feature, front | Keyed |
| Interface, rear | MPO |
| Interface Feature, rear | Male |
| Polarity | Method B |
| Shuttered | Yes |
| Total Fibers, quantity | 12 |
| Total Ports, quantity, front | 12 |
| Dimensions | |
| Height | 27.94 mm 1.1 in |
| Width | 129.54 mm 5.1 in |
| Depth | 127 mm 5 in |
| Optical Specifications | |

Fiber Mode

Multimode

Page 1 of 3

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 3, 2024



760088005 | RFE-MOD-012-5K-MPO-LC02-KRD

| Fiber Type | OM4, LazrSPEED® 550 |
|------------------------------------|---------------------|
| Insertion Loss Change, mating | 0.3 dB |
| Insertion Loss Change, temperature | 0.3 dB |
| Insertion Loss, maximum | 0.9 dB |

Environmental Specifications

| Safety Standard | JL |
|-----------------|----|
|-----------------|----|

Packaging and Weights

Packaging quantity

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--|
| CHINA-ROHS | Below maximum concentration value |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| REACH-SVHC | Compliant as per SVHC revision on www.commscope.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |
| | |

1



Included Products

460117419 - LazrSPEED® Red

 LazrSPEED® LC Duplex Hybrid Keyed Adapter, Red

* Footnotes

Insertion Loss Change, mating Maximum insertion loss change after 500 matings

Insertion Loss Change, temperature Maximum insertion loss change from -10 °C to +60 °C (+14 °F to +140 °F)

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 3, 2024

COMMSCOPE°

LazrSPEED® LC Duplex Hybrid Keyed Adapter, Red

Product Classification

| Regional Availability | Asia Australia/New Zealand EMEA Latin America North America | |
|-----------------------|---|--|
| Portfolio | CommScope® | |
| Product Type | Fiber adapter | |
| Product Brand | LazrSPEED® | |

General Specifications

| Body Style | Duplex |
|------------------------|---------------------------------------|
| Color | Red |
| Interface | LC/UPC |
| Interface Feature | Keyed |
| Mounting | No flange |
| Shuttered | No |
| Total Ports, quantity | 2 |
| Transmission Standards | TIA/EIA-568-B.3 TIA/EIA-604 FOCIS-3 |

Material Specifications

Alignment Sleeve Material Zirconia

Optical Specifications

Fiber Mode Multimode | Singlemode

1

Packaging and Weights

Packaging quantity

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Page 3 of 3

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 4, 2024

